

# DataMgr Basics

Posted At : June 22, 2009 9:00 AM | Posted By : Steve

Related Categories: DataMgr

I saw a comment recently that said of [DataMgr](#) "His project does a lot more than what i need, otherwise I would use it myself. ". This was in the context of suggesting someone look at DataMgr, so I certainly don't want to seem ungrateful. Even so, this got me thinking.

I have certainly seen programs that do so much that the extra stuff gets in the way of doing the easy stuff. I don't think that is the case with DataMgr, however.

The download for the current version of [DataMgr \(2.2.0.2\)](#) is a 71KB zipped file (under 400KB unzipped) - hardly massive.

So, how hard is it to use? I have a database on my local computer named "TestSQL" that has a table named "widgets". Fields in this table include "color" and "size".

Here is actual code to save a widget to the widgets table:

```
<cfset oDataMgr = CreateObject("component"," DataMgr").init("TestSQL")>
<cfset sWidget = {color="tan",size="L"}>
<cfset oDataMgr.saveRecord("widgets",sWidget)>
```

In practice the sWidget structure could be the Form structure from a form post or the arguments structure inside a method. Either way, this is hardly rocket science.

Of course, in practice I would instantiate DataMgr into Application scope (just for convenience) in Application.cfm or Application.cfc.

```
<cfif isDefined("URL.reinit") OR NOT StructKeyExists(Application,"DataMgr")>
    <cfset Application.DataMgr = CreateObject("component","DataMgr").init("TestSQL")>
</cfif>
```

Then the first example would be:

```
<cfset sWidget = {color="tan",size="L"}>
<cfset Application.DataMgr.saveRecord("widgets",sWidget)>
```

What about getting records?

Here is the code to get all of the records in the widgets table:

```
<cfset qWidgets = Application.DataMgr.getRecords("widgets")>
```

What if I want to get only the widgets that have color="tan"?:

```
<cfset sWidgets = {color="tan"}>
<cfset qWidgets = Application.DataMgr.getRecords("widgets",sWidgets)>
```

Now, DataMgr can do much more than this, and has [online documentation](#) available to detail more functionality, but I just want to point out how easy it is to get started using it.

[DataMgr](#) is open source and free for any use.