

Scheduler.cfc 1.0 Beta

Posted At : June 5, 2007 12:45 PM | Posted By : Steve

Related Categories: ColdFusion, com.sebtools

Using service components, one of the challenges that I have run into (and I think others have as well) is that I need to schedule a task from a component, but it doesn't make sense to do so.

So, I have a Scheduler.cfc to handle scheduling a task from a component. It should be loaded into a persistent scope (Application scope preferably) and does require that the runTasks() method should be run from a ColdFusion template that is called every hour (probably by scheduled task).

I typically pass Scheduler into a component that needs to schedule a task. From there I can call the setTask() method of Scheduler.cfc with the following arguments:

- **Name:** A unique name for the scheduled task.
- **ComponentPath:** A path to the calling component (just used as a unique indicator for the component).
- **Component:** The calling component, on which Scheduler will call a method (usually *This*).
- **MethodName:** The name of the method in your component that Scheduler should call when it fires the task.
- **Interval:** The interval Scheduler should use for calling the method with the following options.
 - **once:** Scheduler will call the task immediately, but only one time.
 - **hourly:** Scheduler will call the task every hour.
 - **daily:** Scheduler will call the task every 24 hours.
 - **weekly:** Scheduler will call the task once every 7days.
 - **monthly:** Scheduler will call the task once a month.
 - A number of seconds between each call.
- **Args:** A structure of arguments that Scheduler should pass to the method that it is calling for this task.
- **Hours:** A comma-delimited list of the hours during which the task can be called (on a 24 hours clock). So, if the value is "2,3" then Scheduler will only call the task during the hours of 2:00AM-2:59AM or 3:00AM-3:59AM.

Scheduler does require (the free) [DataMgr component set](#) in order to work. It will record the tasks that it is to run in a table called "schTasks" and record each time it calls a task in a table called "schActions". It will use DataMgr to create these table and can use any database that DataMgr support.

[Scheduler.cfc](#) is open source and free for any use. Feel free to download it and try it out.